



Airborne Asbestos Dust Monitoring Report

Date Thursday, 28 April 2022

Removalist Old Red Brick Company

Site Address 167 William Street BEVERLEY &
25-29 Whicker Road GILLMAN

DEMS Job Number 2203175

Asbestos Assessor I. Langholz: AAL No. 560603

Sample Number	Type	Internal External	Sample Location	On Time h:min	Duration minutes	Ave. Flow ml/min	Dust Conc. Fibres/ml
BEVERLEY							
143	B	External	Northeast of East stockpile	7:09	563	2000	<0.01
144	B	External	Northwest of East stockpile	7:10	563	2000	<0.01
145	B	External	Southeast of East stockpile	7:07	568	2000	<0.01
146	B	External	Adjacent entrance gate	7:11	565	2000	<0.01
GILLMAN							
147	B	External	Slab between south containers	6:35	630	2000	<0.01
148	B	External	South of dump site	6:36	632	2000	<0.01
149	B	External	West of dump site	6:38	631	2000	<0.01
150	B	External	North of work zone	6:40	631	2000	<0.01

Type: B Background monitoring

Method used: National Occupational Health and Safety Commission
Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Dust.

Note: A dust concentration of <0.01 is the lowest reportable level permitted for the membrane filter method. All levels were well below this concentration.

Worksafe Australia exposure limit for airborne asbestos = 0.1 fibres per millilitre of air.